



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : TC1 BILUGAZOIL HIVER  
Product code : 133.  
UFI : TEC0-T0DS-300W-4FQ0

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : MECATECH DISTRIBUTION.  
Address : 6 RUE JULES GUESDES.69360.ST SYMPHORIEN D'OZON.FRANCE.  
Telephone : +33(0)437251616. Fax : .  
adv@mecatech-performances.com  
www.mecatech-performances.com

#### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : ORFILA <http://www.centres-antipoison.net>.

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).  
Carcinogenicity, Category 2 (Carc. 2, H351).  
Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).  
Aspiration hazard, Category 1 (Asp. Tox. 1, H304).  
Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).  
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

#### 2.2. Label elements

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

GHS08

GHS09

Signal Word :

DANGER

Product identifiers :

|              |  |
|--------------|--|
| EC 918-811-1 | HYDROCARBURES, C10, AROMATIQUES, <1% NAPHTALÈNE  |
| EC 919-284-0 | HYDROCARBURES, C10, AROMATIQUES, >1% NAPHTALÈNE  |
| EC 617-593-2 | POLYÉTHYLÈNE POLYAMINES, PRODUITS DE RÉACTION AVEC DES DÉRIVÉS POLYISOBUTÉNYLIQUES DE L'ANHYDRIDE SUCCINIQUE |
| 607-096-00-9 | MALEIC ANHYDRIDE   |

Hazard statements :

|      |   |
|------|---|
| H304 | May be fatal if swallowed and enters airways.                                 |
| H317 | May cause an allergic skin reaction.  |
| H336 | May cause drowsiness or dizziness.  |
| H351 | Suspected of causing cancer (if inhaled, if swallowed, in contact with skin). |
| H411 | Toxic to aquatic life with long lasting effects.                              |

Precautionary statements - Prevention :

|      |   |
|------|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P273 | Avoid release to the environment.                 |

## TC1 BILUGAZOIL HIVER - 133

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

...

Precautionary statements - Response :

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P331 Do NOT induce vomiting.

P391 Collect spillage.

Precautionary statements - Disposal :

P501 Dispose of contents/container to ...

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances  $\geq 0.1\%$  with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### Composition :

| Identification  | Classification (EC) 1272/2008  | Note | %                  |
|---|--|------|--------------------|
| EC: 918-811-1<br>REACH: 01-2119463583-34-XXXX<br><br>HYDROCARBURES, C10,<br>AROMATIQUES, <1% NAPHTALÈNE   | GHS09, GHS08, GHS07<br>Dgr<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411                            | L    | 45 $\leq$ x% < 50  |
| CAS: 27247-96-7<br><br>2-ETHYLHEXYL NITRATE   | GHS07, GHS09<br>Wng<br>Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Acute Tox. 4, H332<br>Aquatic Chronic 2, H411         |      | 11 $\leq$ x% < 14  |
| CAS: 64742-81-0<br>EC: 925-653-7<br>REACH: 01-2119458869-15-XXXX<br><br>HYDROCARBONS, C11-C14,<br>NALKANES,ISOALKANES,<br>CYCLICS,AROMATICS (2-25%) | GHS08<br>Dgr<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412<br>EUH066   | L    | 5 $\leq$ x% < 8    |
| CAS: 64742-94-5<br>EC: 918-811-1<br>REACH: 01-2119463583-34-XXX<br><br>HYDROCARBONS, C10, AROMATICS,<br><1% NAPHTALENE                              | GHS09, GHS08, GHS07<br>Dgr<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411                            | L    | 2.5 $\leq$ x % < 5 |
| CAS: 64742-94-5<br>EC: 919-284-0<br>REACH: 01-2119463588-24-XXXX<br><br>HYDROCARBURES, C10,AROMATIQUES,<br>>1%NAPHTALÈNE                            | GHS09, GHS08, GHS07<br>Dgr<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>Carc. 2, H351<br>Aquatic Chronic 2, H411<br>EUH066 | [ii] | 2.5 $\leq$ x % < 5 |
| INDEX: 649-424-00-3<br>CAS: 64742-94-5<br>EC: 265-198-5<br><br>SOLVENT NAPHTHA (PETROLEUM),<br>HEAVY AROM.  | GHS08<br>Dgr<br>Asp. Tox. 1, H304  |      | 2.5 $\leq$ x % < 5 |
| INDEX: 601-043-00-3   | GHS02, GHS07, GHS09  | [i]  | 2.5 $\leq$ x % < 5 |

|  |  |              |                |
|--|--|--------------|----------------|
| CAS: 95-63-6<br>EC: 202-436-9<br><br>1,2,4-TRIMETHYLBENZENE  | Wng<br>Flam. Liq. 3, H226<br>Acute Tox. 4, H332<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>Skin Irrit. 2, H315<br>Aquatic Chronic 2, H411                             |              |                |
| CAS: 84605-20-9<br>EC: 617-593-2<br><br>POLYÉTHYLÈNEPOLYAMINES,<br>PRODUITS DE RÉACTION AVEC DES<br>DÉRIVÉS POLYISOBUTÉNYLIQUES DE<br>L'ANHYDRIDE SUCCINIQUE | GHS07<br>Wng<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317  |              | 1 <= x % < 2.5 |
| CAS: 104-76-7<br>EC: 203-234-3<br>REACH: 01-2119487289-20-XXXX<br><br>2-ETHYL-1-HEXANOL  | GHS07<br>Wng<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 4, H332<br>STOT SE 3, H335   | [i]          | 1 <= x % < 2.5 |
| INDEX: 601-052-00-2<br>CAS: 91-20-3<br>EC: 202-049-5<br><br>NAPHTHALENE  | GHS07, GHS08, GHS09<br>Wng<br>Carc. 2, H351<br>Acute Tox. 4, H302<br>Aquatic Acute 1, H400<br>M Acute = 1<br>Aquatic Chronic 1, H410<br>M Chronic = 1                  | [i]<br>[ii]  | 0 <= x % < 1   |
| INDEX: 601-022-00-9<br>CAS: 1330-20-7<br>EC: 215-535-7<br><br>XYLENE   | GHS02, GHS07<br>Wng<br>Flam. Liq. 3, H226<br>Acute Tox. 4, H332<br>Acute Tox. 4, H312<br>Skin Irrit. 2, H315   | C<br>[i]     | 0 <= x % < 1   |
| INDEX: 014-018-00-1<br>CAS: 556-67-2<br>EC: 209-136-7<br><br>OCTAMETHYLCYCLOTETRASIOXANE   | GHS08, GHS09<br>Wng<br>Repr. 2, H361f<br>Aquatic Acute 1, H400<br>M Acute = 10<br>Aquatic Chronic 1, H410<br>M Chronic = 10  | [ii]<br>[vi] | 0 <= x % < 1   |
| INDEX: 601-025-00-5<br>CAS: 108-67-8<br>EC: 203-604-4<br><br>MESITYLENE  | GHS02, GHS07, GHS09<br>Wng<br>Flam. Liq. 3, H226<br>STOT SE 3, H335<br>Aquatic Chronic 2, H411   | [i]          | 0 <= x % < 1   |
| INDEX: 607-096-00-9<br>CAS: 108-31-6<br>EC: 203-571-6<br><br>MALEIC ANHYDRIDE  | GHS07, GHS05, GHS08<br>Dgr<br>Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Skin Sens. 1A, H317<br>Eye Dam. 1, H318<br>Resp. Sens. 1, H334<br>STOT RE 1, H372<br>EUH071 | [i]          | 0 <= x % < 1   |
| CAS: 91-20-3<br>EC: 202-049-5  | GHS02, GHS07, GHS08, GHS09<br>Wng  | [i]<br>[ii]  | 0 <= x % < 1   |

|             |   |  |  |
|-------------|---|--|--|
| NAPHTHALENE | Flam. Sol. 2, H228<br>Acute Tox. 4, H302<br>Carc. 2, H351<br>Aquatic Acute 1, H400<br>M Acute = 1<br>Aquatic Chronic 1, H410<br>M Chronic = 1 |  |  |
|-------------|---|--|--|

**Specific concentration limits:**

| Identification   | Specific concentration limits  | ATE                       |
|--|--------------------------------|---------------------------|
| CAS: 104-76-7<br>EC: 203-234-3<br>REACH: 01-2119487289-20-XXXX             |                                | oral: ATE = 3290 mg/kg BW |
| 2-ETHYL-1-HEXANOL<br>INDEX: 601-025-00-5<br>CAS: 108-67-8<br>EC: 203-604-4 | STOT SE 3: H335 C>= 25%        |                           |
| MESITYLENE<br>INDEX: 607-096-00-9<br>CAS: 108-31-6<br>EC: 203-571-6        | Skin Sens. 1A: H317 C>= 0.001% |                           |
| MALEIC ANHYDRIDE<br>CAS: 91-20-3<br>EC: 202-049-5                          |                                | oral: ATE = 490 mg/kg BW  |
| NAPHTHALENE  |                                |                           |

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

[vi] Substances of very high concern (SVHC).

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures****In the event of exposure by inhalation :**

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

#### 5.1. Extinguishing media

##### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

##### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

#### 5.3. Advice for firefighters

No data available.

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

##### For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

##### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

### SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

##### Fire prevention :

Handle in well-ventilated areas.

Never inhale this mixture.

Prevent access by unauthorised personnel.

##### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid exposure - obtain special instructions before use.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### Packaging

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Occupational exposure limits :

- European Union :

| CAS                               | VME-mg/m3 : | VME-ppm : | VLE-mg/m3 : | VLE-ppm : | Notes : |
|-----------------------------------|-------------|-----------|-------------|-----------|---------|
| 95-63-6<br>1,2,4-TRIMETHYLBENZENE | 100         | 20        | -           | -         | -       |
| 104-76-7<br>2-ETHYL-1-HEXANOL     | 5.4         | 1         | -           | -         | -       |
| 91-20-3<br>NAPHTHALENE            | 10          | 50        | -           | -         | -       |
| 1330-20-7<br>XYLENE               | 221         | 50        | 442         | 100       | -       |
| 108-67-8<br>MESITYLENE            | 100         | 20        | -           | -         | -       |
| 91-20-3<br>NAPHTHALENE            | 10          | 50        | -           | -         | -       |

- UK :

| CAS                           | TWA :               | STEL :               | Ceiling : | Definition : | Criteria : |
|-------------------------------|---------------------|----------------------|-----------|--------------|------------|
| 104-76-7<br>2-ETHYL-1-HEXANOL | 1 ppm<br>5.4 mg/m3  | -                    | -         | -            | -          |
| 1330-20-7<br>XYLENE           | 50 ppm<br>220 mg/m3 | 100 ppm<br>441 mg/m3 | -         | -            | -          |
| 108-31-6<br>MALEIC ANHYDRIDE  | 1 mg/m3             | 3 mg/m3              | -         | -            | -          |

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

HYDROCARBURES, C10, AROMATIQUES, <1% NAPHTALÈNE

##### Final use:

Exposure method:

Potential health effects:

DNEL :

Exposure method:

Potential health effects:

DNEL :

##### Final use:

Exposure method:

##### Workers.

Dermal contact.

Long term systemic effects.

12.5 mg/kg body weight/day

Inhalation.

Long term systemic effects.

150 mg of substance/m3

##### Consumers.


Ingestion.

## TC1 BILUGAZOIL HIVER - 133

|                           |                                   |
|---------------------------|-----------------------------------|
| Potential health effects: | Long term systemic effects.       |
| DNEL :                    | 7.5 mg/kg body weight/day         |
| Exposure method:          | Dermal contact.                   |
| Potential health effects: | Long term systemic effects.       |
| DNEL :                    | 7.5 mg/kg body weight/day         |
| Exposure method:          | Inhalation.                       |
| Potential health effects: | Long term systemic effects.       |
| DNEL :                    | 32 mg of substance/m <sup>3</sup> |

**8.2. Exposure controls****Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

**- Hand protection**

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

**- Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**- Respiratory protection**

Avoid inhaling vapors.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****Physical state**

|                  |               |
|------------------|---------------|
| Physical state : | Fluid liquid. |
|------------------|---------------|

**Colour**

Unspecified

**Odour**

|                   |             |
|-------------------|-------------|
| Odour threshold : | Not stated. |
|-------------------|-------------|

|   |   |
|---|---|
| <b>Melting point</b>  |   |
| Melting point/melting range :                                   | Not specified.  |
| <b>Freezing point</b>   |   |
| Freezing point / Freezing range :                               | Not stated.   |
| <b>Boiling point or initial boiling point and boiling range</b> |   |
| Boiling point/boiling range :                                   | >185  |
| <b>Flammability</b>   |   |
| Flammability (solid, gas) :                                     | Not stated.   |
| <b>Lower and upper explosion limit</b>                          |   |
| Explosive properties, lower explosivity limit (%) :             | 0.6   |
| Explosive properties, upper explosivity limit (%) :             | 7   |
| <b>Flash point</b>  |   |
| Flash point interval :  | Not relevant.   |
| <b>Auto-ignition temperature</b>                                |   |
| Self-ignition temperature :                                     | Not specified.  |
| <b>Decomposition temperature</b>                                |   |
| Decomposition point/decomposition range :                       | Not specified.  |
| <b>pH</b>   |   |
| pH :  | Not relevant.   |
| pH (aqueous solution) :   | Not stated.   |
| <b>Kinematic viscosity</b>                                      |   |
| Viscosity :   | Not stated.   |
| Viscosity :   | 7 mm <sup>2</sup> /s ≤ v ≤ 14 mm <sup>2</sup> /s (40°C) |
| <b>Solubility</b>   |   |
| Water solubility :  | Insoluble. <10%   |
| Fat solubility :  | Not stated.   |
| <b>Partition coefficient n-octanol/water (log value)</b>        |   |
| Partition coefficient: n-octanol/water :                        | Not stated.   |
| <b>Vapour pressure</b>  |   |
| Vapour pressure (50°C) :  | Above 300 kPa (3 bar).                                  |
| <b>Density and/or relative density</b>                          |   |
| Density :   | 0.91  |
| <b>Relative vapour density</b>                                  |   |
| Vapour density :  | Not stated.   |

**Particle characteristics**

The mixture does not contain nanoforms.

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

**10.4. Conditions to avoid**

No data available.

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1. Substances

##### a) Acute toxicity :

NAPHTHALENE (CAS: 91-20-3)

Oral route : LD50 = 490 mg/kg body weight

2-ETHYL-1-HEXANOL (CAS: 104-76-7)

Oral route : LD50 = 3290 mg/kg body weight

##### b) Skin corrosion/skin irritation :

No data available.

##### c) Serious damage to eyes/eye irritation :

No data available.

##### d) Respiratory or skin sensitisation :

No data available.

##### e) Germ cell mutagenicity :

No data available.

##### f) Carcinogenicity :

No data available.

##### g) Reproductive toxicant :

No data available.

##### h) Specific target organ systemic toxicity - single exposure :

No data available.

##### i) Specific target organ systemic toxicity - repeated exposure :

No data available.

##### j) Aspiration hazard :

No data available.

#### 11.1.2. Mixture

##### 11.1.2.1 Information on hazard classes

##### a) Acute toxicity :

Oral route : No data available.

Dermal route : No data available.

Inhalation route (Dusts/mist) : No data available.

##### b) Skin corrosion/skin irritation :

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

##### c) Serious damage to eyes/eye irritation :

Splashes in the eyes may cause irritation and reversible damage

##### d) Respiratory or skin sensitisation :

May cause an allergic reaction by skin contact.

##### e) Germ cell mutagenicity :

No data available.

##### f) Carcinogenicity :

Suspected human carcinogen.

##### g) Reproductive toxicant :

No data available.

##### h) Specific target organ systemic toxicity - single exposure :

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness.

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

**i) Specific target organ systemic toxicity - repeated exposure :**

No data available.

**j) Aspiration hazard :**

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

**11.1.2.2 Other information**

**Symptoms related to the physical, chemical and toxicological characteristics**

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

## SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

**12.1. Toxicity**

**12.1.1. Substances**

HYDROCARBURES, C10,AROMATIQUES, >1%NAPHTALÈNE (CAS: 64742-94-5)

Fish toxicity : EC10 mg/l

Crustacean toxicity : EC10 mg/l  
Duration of exposure : 21 jours

Algae toxicity : NOEC = 0.22 mg/l  
Species : Pseudokirchnerella subcapitata  
Duration of exposure : 72 h

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

HYDROCARBURES, C10,AROMATIQUES, >1%NAPHTALÈNE (CAS: 64742-94-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

**12.7. Other adverse effects**

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.  
Give to a certified disposal contractor.

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2025 - IMDG 2024 [42-24] - ICAO/IATA 2025 [66]).

**14.1. UN number or ID number**

3082

**14.2. UN proper shipping name**

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(hydrocarbures, c10, aromatiques, <1% naphtalène)

**14.3. Transport hazard class(es)**

- Classification :



9

**14.4. Packing group**

III

**14.5. Environmental hazards**

- Environmentally hazardous material :

**14.6. Special precautions for user**

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ  | Provis.                   | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|-----|---------------------------|----|------|--------|
|         | 9     | M6   | III      | 9     | 90     | 5 L | 274 335<br>375 601<br>650 | E1 | 3    | -      |

\*Not subject to this regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

| IMDG | Class | 2°Label | Pack gr. | LQ  | EMS      | Provis.            | EQ | Stowage Handling | Segregation |
|------|-------|---------|----------|-----|----------|--------------------|----|------------------|-------------|
|      | 9     | -       | III      | 5 L | F-A. S-F | 274 335<br>375 969 | E1 | Category A       | -           |

\*Not subject to this regulation if Q ≤ 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note                  | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|-----------------------|----|
|      | 9     | -       | III      | 964      | 450 L    | 964   | 450 L | A97 A158<br>A197 A215 | E1 |
|      | 9     | -       | III      | Y964     | 30 kg G  | -     | -     | A97 A158<br>A197 A215 | E1 |

\*Not subject to this regulation if Q ≤ 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(hydrocarbures, c10, aromatiques, <1% naphtalène)

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

**Container information:**

No data available.

**Particular provisions :**

No data available.

**Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):**

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):  
<https://echa.europa.eu/substances-restricted-under-reach>.

**Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):**

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006:  
<https://echa.europa.eu/fr/authorisation-list>.

**Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol) :**

The mixture does not contain any substance posing a risk to the ozone layer.

**Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):**

The mixture does not contain a persistent organic pollutant.

**PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):**

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

**Explosives precursors :**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

**Swiss ordinance on the incentive tax on volatile organic compounds :**

|           |  |
|-----------|--|
| 95-63-6   | triméthylbenzènes (1,2,4-triméthylbenzène) |
| 108-67-8  | triméthylbenzènes (1,3,5-triméthylbenzène) |
| 1330-20-7 | xylènes (mélanges d'isomères)              |

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

|        |  |
|--------|--|
| H226   | Flammable liquid and vapour.   |
| H228   | Flammable solid.   |
| H302   | Harmful if swallowed.  |
| H304   | May be fatal if swallowed and enters airways.                              |
| H312   | Harmful in contact with skin.  |
| H314   | Causes severe skin burns and eye damage.                                   |
| H315   | Causes skin irritation.  |
| H317   | May cause an allergic skin reaction.                                       |
| H318   | Causes serious eye damage.   |
| H319   | Causes serious eye irritation.   |
| H332   | Harmful if inhaled.  |
| H334   | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335   | May cause respiratory irritation.  |
| H336   | May cause drowsiness or dizziness.   |
| H351   | Suspected of causing cancer .  |
| H361f  | Suspected of damaging fertility.   |
| H372   | Causes damage to organs through prolonged or repeated exposure .           |
| H400   | Very toxic to aquatic life.  |
| H410   | Very toxic to aquatic life with long lasting effects.                      |
| H411   | Toxic to aquatic life with long lasting effects.                           |
| H412   | Harmful to aquatic life with long lasting effects.                         |
| EUH066 | Repeated exposure may cause skin dryness or cracking.                      |
| EUH071 | Corrosive to the respiratory tract.  |

**Abbreviations and acronyms :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LQ : Limited Quantity

EQ : Excepted Quantity

EmS : Emergency Schedule

E : Packing Instruction

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Moyenne pondérée dans le temps

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

GHS07 : Exclamation mark

GHS08 : Health hazard

GHS09 : Environment

IATA : International Air Transport Association.

IMDG : International Maritime Dangerous Goods.

ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID : Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

AK-ertek : Permissible average concentration

WGK : Wassergefährdungsklasse (Water Hazard Class).