



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : DR2  
Product code : 405012.  
UFI : D4WN-GEG3-310V-0NK5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : MECATECH DISTRIBUTION.  
Address : 6 RUE JULES GUESDES.69360.ST SYMPHORIEN D'OZON.FRANCE.  
Telephone : +33(0)437251616. Fax : .  
adv@mecatech-performances.com  
www.mecatech-performances.com

#### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : ORFILA <http://www.centres-antipoison.net>.

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 3 (Aerosol 3, H229).  
Skin irritation, Category 2 (Skin Irrit. 2, H315).  
Eye irritation, Category 2 (Eye Irrit. 2, H319).  
May produce an allergic reaction (EUH208).  
Aspiration hazard, Category 1 (Asp. Tox. 1, H304).  
This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.  
The propellant gas is taken into account when determining the health and environmental classification of the mixture.

#### 2.2. Label elements

The mixture is an aerosol fitted with a sealed spray attachment.

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :

WARNING

Additional labeling :

EUH208 Contains TÉTRACHLOROÉTHYLÈNE, PERCHLORÉTHYLÈNE. May produce an allergic reaction.

Hazard statements :

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements - Prevention :

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

Precautionary statements - Response :

P321 Specific treatment (see ... on this label).

P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements - Storage :

P410 + P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances  $\geq 0.1\%$  with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

| Identification                                                                                                                            | Classification (EC) 1272/2008                                                                                                                                 | Note         | %                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|
| EC: 918-481-9<br>REACH: 01-2119457273-39-XXXX<br><br>HYDROCARBURES, C10-C13,<br>N-ALKANES, ISOALKANES,<br>CYCLIQUES, < 2% AROMATIQUES     | GHS08<br>Dgr<br>Asp. Tox. 1, H304<br>EUH066                                                                                                                   |              | 60 $\leq$ x% < 70  |
| CAS: 64741-89-5<br>EC: 265-091-3<br>REACH: 01-2119487067-30-XXXX<br><br>DISTILLATS PARAFFINIQUES LÉGERS<br>(PÉTROLE), RAFFINÉS AU SOLVANT | GHS08<br>Dgr<br>Asp. Tox. 1, H304                                                                                                                             | L            | 11 $\leq$ x% < 14  |
| CAS: 124-38-9<br>EC: 204-696-9<br><br>DIOXYDE DE CARBONE                                                                                  | GHS04<br>Wng<br>Press. Gas, H280                                                                                                                              | [i]<br>[vii] | 2.5 $\leq$ x % < 5 |
| INDEX: 603-064-00-3<br>CAS: 107-98-2<br>EC: 203-539-1<br><br>1-METHOXY-2-PROPANOL                                                         | GHS02, GHS07<br>Wng<br>Flam. Liq. 3, H226<br>STOT SE 3, H336                                                                                                  | [i]          | 2.5 $\leq$ x % < 5 |
| CAS: 85536-14-7<br>EC: 287-494-3<br><br>DODECYLBENZENE SULPHONIC ACID                                                                     | GHS07, GHS05<br>Dgr<br>Acute Tox. 4, H302<br>Skin Corr. 1, H314<br>Eye Dam. 1, H318<br>Aquatic Chronic 3, H412                                                |              | 1 $\leq$ x % < 2.5 |
| CAS: 34140-91-5<br>EC: 251-846-4<br><br>ACIDE OLÉIQUE, COMPOSÉ AVEC<br>(Z)-N-OCTADEC-9-ÉNYLPROPANE-1,3<br>-DIAMINE (2:1)                  | GHS07, GHS09, GHS08<br>Wng<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT RE 2, H373<br>Aquatic Chronic 2, H411<br>Aquatic Acute 1, H400<br>M Acute = 1 |              | 1 $\leq$ x % < 2.5 |
| CAS: 127-18-4<br>EC: 204-825-9<br>REACH: 01-2119475329-28-XXXX<br><br>TÉTRACHLOROÉTHYLÈNE,<br>PERCHLORÉTHYLÈNE                            | GHS07, GHS09, GHS08<br>Wng<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Eye Irrit. 2, H319<br>STOT SE 3, H336<br>Carc. 2, H351<br>Aquatic Chronic 2, H411 | [i]<br>[ii]  | 0 $\leq$ x % < 1   |

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

[vii] Propellant gas

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

## SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

#### In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

#### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

**Fire prevention :**

Handle in well-ventilated areas.

Do not pierce or burn, even after use.

Never inhale this mixture.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limits :**

- European Union :

| CAS                                                  | VME-mg/m3 : | VME-ppm : | VLE-mg/m3 : | VLE-ppm : | Notes : |
|------------------------------------------------------|-------------|-----------|-------------|-----------|---------|
| 124-38-9<br>DIOXYDE DE CARBONE                       | 9000        | 5000      | -           | -         | -       |
| 107-98-2<br>1-METHOXY-2-PROPANOL                     | 375         | 100       | 568         | 150       | -       |
| 127-18-4<br>TÉTRACHLOROÉTHYLÈNE,<br>PERCHLORÉTHYLÈNE | 138         | 20        | 275         | 40        | -       |

- UK :

| CAS                            | TWA :                  | STEL :                   | Ceiling : | Definition : | Criteria : |
|--------------------------------|------------------------|--------------------------|-----------|--------------|------------|
| 124-38-9<br>DIOXYDE DE CARBONE | 5000 ppm<br>9150 mg/m3 | 15000 ppm<br>27400 mg/m3 | -         | -            | -          |
| 107-98-2                       | 100 ppm                | 150 ppm                  | -         | -            | -          |

|                                                      |                     |                     |   |   |   |
|------------------------------------------------------|---------------------|---------------------|---|---|---|
| 1-METHOXY-2-PROPANOL                                 | 375 mg/m3           | 560 mg/m3           |   |   |   |
| 127-18-4<br>TÉTRACHLOROÉTHYLÈNE,<br>PERCHLORÉTHYLÈNE | 20 ppm<br>138 mg/m3 | 40 ppm<br>275 mg/m3 | - | - | - |

## 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Butyl Rubber (Isobutylene-isoprene copolymer)

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical state

|                  |        |
|------------------|--------|
| Physical state : | Gas.   |
|                  | Spray. |

#### Colour

Unspecified

#### Odour

|                   |             |
|-------------------|-------------|
| Odour threshold : | Not stated. |
|-------------------|-------------|

#### Melting point

|                               |                |
|-------------------------------|----------------|
| Melting point/melting range : | Not specified. |
|-------------------------------|----------------|

#### Freezing point

|                                   |             |
|-----------------------------------|-------------|
| Freezing point / Freezing range : | Not stated. |
|-----------------------------------|-------------|

#### Boiling point or initial boiling point and boiling range

|                               |                |
|-------------------------------|----------------|
| Boiling point/boiling range : | Not specified. |
|-------------------------------|----------------|

#### Flammability

|                             |             |
|-----------------------------|-------------|
| Flammability (solid, gas) : | Not stated. |
|-----------------------------|-------------|

#### Lower and upper explosion limit

|                                                          |                                        |
|----------------------------------------------------------|----------------------------------------|
| Explosive properties, lower explosivity limit (%) :      | Not stated.                            |
| Explosive properties, upper explosivity limit (%) :      | Not stated.                            |
| <b>Flash point</b>                                       |                                        |
| Flash point interval :                                   | Not relevant.                          |
| <b>Auto-ignition temperature</b>                         |                                        |
| Self-ignition temperature :                              | Not specified.                         |
| <b>Decomposition temperature</b>                         |                                        |
| Decomposition point/decomposition range :                | Not specified.                         |
| <b>pH</b>                                                |                                        |
| pH :                                                     | Not relevant.                          |
| pH (aqueous solution) :                                  | Non applicable                         |
| <b>Kinematic viscosity</b>                               |                                        |
| Viscosity :                                              | Not stated.                            |
| Viscosity:                                               | $\nu < 7 \text{ mm}^2/\text{s}$ (40°C) |
| <b>Solubility</b>                                        |                                        |
| Water solubility :                                       | Insoluble.                             |
| Fat solubility :                                         | Not stated.                            |
| <b>Partition coefficient n-octanol/water (log value)</b> |                                        |
| Partition coefficient: n-octanol/water :                 | Not stated.                            |
| <b>Vapour pressure</b>                                   |                                        |
| Vapour pressure (50°C) :                                 | Not relevant.                          |
| <b>Density and/or relative density</b>                   |                                        |
| Density :                                                | 0.803                                  |
| <b>Relative vapour density</b>                           |                                        |
| Vapour density :                                         | Not stated.                            |

**Particle characteristics**

The mixture does not contain nanoforms.

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

**10.4. Conditions to avoid**

No data available.

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****11.1.1. Substances****a) Acute toxicity :**

HYDROCARBURES, C10-C13, N-ALKANES, ISOALKANES, CYCLIQUES, < 2% AROMATIQUES

Oral route : LD50 > 5000 mg/kg body weight  
Species : Rat

Dermal route : LD50 > 5000 mg/kg body weight  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Vapours) : LC50 > 4.951 mg/l  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**b) Skin corrosion/skin irritation :**

No data available.

**c) Serious damage to eyes/eye irritation :**

No data available.

**d) Respiratory or skin sensitisation :**

No data available.

**e) Germ cell mutagenicity :**

No data available.

**f) Carcinogenicity :**

No data available.

**g) Reproductive toxicant :**

No data available.

**h) Specific target organ systemic toxicity - single exposure :**

No data available.

**i) Specific target organ systemic toxicity - repeated exposure :**

No data available.

**j) Aspiration hazard :**

No data available.

**11.1.2. Mixture**

**11.1.2.1 Information on hazard classes**

**a) Acute toxicity :**

Oral route : No data available.

Dermal route : No data available.

Inhalation route (Dusts/mist) : No data available.

**b) Skin corrosion/skin irritation :**

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

**c) Serious damage to eyes/eye irritation :**

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

**d) Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

**e) Germ cell mutagenicity :**

No data available.

**f) Carcinogenicity :**

No data available.

**g) Reproductive toxicant :**

No data available.

**h) Specific target organ systemic toxicity - single exposure :**

No data available.

**i) Specific target organ systemic toxicity - repeated exposure :**

No data available.

**j) Aspiration hazard :**

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

**11.1.2.2 Other information**

**Symptoms related to the physical, chemical and toxicological characteristics**

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

## SECTION 12 : ECOLOGICAL INFORMATION

**12.1. Toxicity**

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

**12.7. Other adverse effects**

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

**14.1. UN number or ID number**

-

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

-

**14.4. Packing group**

-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

**14.7. Maritime transport in bulk according to IMO instruments****SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Classification and labelling information included in section 2:**

The following regulations have been used:

- Directive 75/324/CEE modified by directive 2013/10/UE
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

**Container information:**

No data available.

**Particular provisions :**

No data available.

**Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):**

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):

<https://echa.europa.eu/substances-restricted-under-reach>.

**Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):**

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006:

<https://echa.europa.eu/fr/authorisation-list>.

**Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol) :**

The mixture does not contain any substance posing a risk to the ozone layer.

**Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):**

The mixture does not contain a persistent organic pollutant.

**PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):**

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

**Explosives precursors :**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

|        |                                                                     |
|--------|---------------------------------------------------------------------|
| H226   | Flammable liquid and vapour.                                        |
| H280   | Contains gas under pressure; may explode if heated.                 |
| H302   | Harmful if swallowed.                                               |
| H304   | May be fatal if swallowed and enters airways.                       |
| H314   | Causes severe skin burns and eye damage.                            |
| H315   | Causes skin irritation.                                             |
| H317   | May cause an allergic skin reaction.                                |
| H318   | Causes serious eye damage.                                          |
| H319   | Causes serious eye irritation.                                      |
| H336   | May cause drowsiness or dizziness.                                  |
| H351   | Suspected of causing cancer .                                       |
| H373   | May cause damage to organs through prolonged or repeated exposure . |
| H400   | Very toxic to aquatic life.                                         |
| H411   | Toxic to aquatic life with long lasting effects.                    |
| H412   | Harmful to aquatic life with long lasting effects.                  |
| EUH066 | Repeated exposure may cause skin dryness or cracking.               |

**Abbreviations and acronyms :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.  
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.  
CMR: Carcinogenic, mutagenic or reprotoxic.  
UFI : Unique formulation identifier.  
STEL : Short-term exposure limit  
TWA : Moyenne pondérée dans le temps  
TLV : Threshold Limit Value (exposure)  
AEV : Average Exposure Value.  
ADR : European agreement concerning the international carriage of dangerous goods by Road.  
GHS07 : Exclamation mark  
IATA : International Air Transport Association.  
IMDG : International Maritime Dangerous Goods.  
ICAO : International Civil Aviation Organisation  
PBT: Persistent, bioaccumulable and toxic.  
PIC: Prior Informed Consent.  
POP: Persistent Organic Pollutant.  
RID : Regulations concerning the International carriage of Dangerous goods by rail.  
SVHC : Substances of very high concern.  
AK-ertek : Permissible average concentration  
WGK : Wassergefährdungsklasse (Water Hazard Class).