Date: 01/08/2025 Page 1/12

Revision: N°2 (01/08/2025)



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: TC2 ESSENCE

Product code: MT002.

UFI: R500-G0YS-0002-GRCJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

1.3. Details of the supplier of the safety data sheet

Registered company name: MECATECH DISTRIBUTION.

Address: 6 RUE JULES GUESDES.69360.ST SYMPHORIEN D'OZON.FRANCE.

 $\label{eq:total_continuous_com} Telephone: +33(0)437251616. \quad Fax:. \\ adv@mecatech-performances.com \\ www.mecatech-performances.com$

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Repeated exposure may cause skin dryness or cracking (EUH066).

May produce an allergic reaction (EUH208).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS08

Signal Word:

DANGER

Product identifiers:

EC 918-481-9 HYDROCARBURES, C10-C13, N-ALKANES, ISOALKANES, CYCLIQUES, < 2% AROMATIQUES

EC 920-107-4 HYDROCARBONS, C12-C15, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Additional labeling:

EUH208 Contains POLYÉTHYLÈNEPOLYAMINES, PRODUITS DE RÉACTION AVEC DES DÉRIVÉS

POLYISOBUTÉNYLIQUES DE L'ANHYDRIDE SUCCINIQUE. May produce an allergic reaction.

Hazard statements:

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements - Response :

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P331 Do NOT induce vomiting.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

Date: 01/08/2025 Page 2/12

Revision: N°2 (01/08/2025)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances= 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	Classification (EC) 1272/2008	Note	%
EC: 918-481-9	GHS08		$60 \le x\% < 70$
REACH: 01-2119457273-39-XXXX	Dgr		
	Asp. Tox. 1, H304		
HYDROCARBURES, C10-C13, N-ALKANES,	EUH066		
ISOALKANES, CYCLIQUES, < 2%			
AROMATIQUES			
EC: 920-107-4	GHS08	L	$26 \le x\% < 29$
REACH: 01-2119453414-43-XXXX	Dgr		
	Asp. Tox. 1, H304		
HYDROCARBONS, C12-C15, N-ALKANES,			
ISOALKANES, CYCLICS, <2% AROMATICS			
POLYOLÉFINE ALKYLPHÉNOL	GHS07		1 <= x % < 2.5
ALKYLAMINE	Wng		
	Skin Irrit. 2, H315		
CAS: 64742-94-5	GHS09, GHS08, GHS07	[ii]	0 <= x % < 1
EC: 919-284-0	Dgr		
REACH: 01-2119463588-24-XXXX	Asp. Tox. 1, H304		
	STOT SE 3, H336		
HYDROCARBURES, C10, AROMATIQUES,	Carc. 2, H351		
>1%NAPHTALÈNE	Aquatic Chronic 2, H411		
	EUH066		
CAS: 84605-20-9	GHS07		$0 \le x \% < 1$
EC: 617-593-2	Wng		
, ,	Skin Irrit. 2, H315		
POLYÉTHYLÈNEPOLYAMINES, PRODUITS	Skin Sens. 1, H317		
DE RÉACTION AVEC DES DÉRIVÉS			
POLYISOBUTÉNYLIQUES DE			
L'ANHYDRIDE SUCCINIQUE			
CAS: 95-63-6	GHS07, GHS09, GHS08	[i]	$0 \le x \% < 1$
EC: 202-436-9	Dgr		
	Asp. Tox. 1, H304		
1,2,4-TRIMETHYLBENZENE	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Acute Tox. 4, H332		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		
CAS: 104-76-7	GHS07	[i]	$0 \le x \% < 1$
EC: 203-234-3	Wng		
REACH: 01-2119487289-20-XXXX	Skin Irrit. 2, H315		
A ETHINI 1 HEWANIO	Eye Irrit. 2, H319		
2-ETHYL-1-HEXANOL	Acute Tox. 4, H332		
DIDEN. (01.052.00.2	STOT SE 3, H335	F13	0 4 0/ 14
INDEX: 601-052-00-2	GHS07, GHS08, GHS09	[i]	$0 \le x \% < 1$
CAS: 91-20-3	Wng	[ii]	
EC: 202-049-5	Carc. 2, H351		
NIA DIJETHA L'ENTE	Acute Tox. 4, H302		
NAPHTHALENE	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

Date: 01/08/2025 Page 3/12

Revision: N°2 (01/08/2025)

CAS: 108-67-8	GHS07, GHS09, GHS08, GHS02	[i]	$0 \le x \% < 1$
EC: 203-604-4	Dgr		
	Flam. Liq. 3, H226		
MESITYLENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		
CAS: 526-73-8	GHS07, GHS02	[i]	$0 \le x \% < 1$
EC: 208-394-8	Wng		
	Flam. Liq. 3, H226		
1,2,3-TRIMETHYLBENZENE	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	STOT SE 3, H335		
INDEX: 607-130-00-2	GHS02	C	$0 \le x \% < 1$
CAS: 123-92-2	Wng	[i]	
EC: 204-662-3	Flam. Liq. 3, H226		
	EUH066		
ISOPENTYL ACETATE			
CAS: 98-82-8	GHS07, GHS09, GHS08	[i]	$0 \le x \% < 1$
EC: 202-704-5	Dgr		
	Asp. Tox. 1, H304		
CUMENE	Acute Tox. 4, H332		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		

Specific concentration limits:

Specific concentration names.		
Identification	Specific concentration limits	ATE
CAS: 104-76-7		oral: ATE = 3290 mg/kg BW
EC: 203-234-3		
REACH: 01-2119487289-20-XXXX		
2-ETHYL-1-HEXANOL		
CAS: 108-67-8	STOT SE 3: H335 C>= 25%	
EC: 203-604-4		
MESITYLENE		

Information on ingredients:

(Full text of H-phrases: see section 16)

- [i] Substance for which maximum workplace exposure limits are available.
- [ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

Date: 01/08/2025 Page 4/12

Revision: N°2 (01/08/2025)

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Never inhale this mixture.

Date: 01/08/2025 Page 5/12

Revision: N°2 (01/08/2025)

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union:

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
95-63-6	100	20	-	-	-
1,2,4-TRIMETHYLBENZENE					
104-76-7	5.4	1	-	-	-
2-ETHYL-1-HEXANOL					
91-20-3	10	50	-	-	-
NAPHTHALENE					
108-67-8	100	20	-	-	-
MESITYLENE					
526-73-8	100	20	-	-	-
1,2,3-TRIMETHYLBENZENE					
123-92-2	270	50	540	100	-
ISOPENTYL ACETATE					
98-82-8	50	10	250	50	-
CUMENE					

- UK :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
104-76-7	1 ppm				
2-ETHYL-1-HEXANOL	5.4 mg/m3				
98-82-8	25 ppm	50 ppm			
CUMENE	125 mg/m3	250 mg/m3			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Version: N°1 (01/08/2025) MECATECH DISTRIBUTION

TC2 ESSENCE - MT002

Date: 01/08/2025 Page 6/12

Revision: N°2 (01/08/2025)

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A3 (Brown)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range : Not stated. **Boiling point or initial boiling point and boiling range**Boiling point/boiling range : 160 °C.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) 0.6%

Explosive properties, upper explosivity limit (%) 7%

Flash point

Flash Point: 62.00 °C.

Auto-ignition temperature

Self-ignition temperature: Not specified.

Decomposition temperature

Decomposition point/decomposition range: Not specified.

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (01/08/2025) MECATECH DISTRIBUTION

TC2 ESSENCE - MT002

Date: 01/08/2025 Page 7/12

Revision: N°2 (01/08/2025)

pН

pH: Not relevant. pH (aqueous solution): Non applicable

Kinematic viscosity

Viscosity: <7mm².s

Viscosity: $v < 7 \text{ mm}2/\text{s} (40^{\circ}\text{C})$

Solubility

Water solubility: Insoluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 0.815

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity:

2-ETHYL-1-HEXANOL (CAS: 104-76-7)

Oral route: LD50 = 3290 mg/kg body weight

HYDROCARBURES, C10-C13, N-ALKANES, ISOALKANES, CYCLIQUES, < 2% AROMATIQUES

Oral route: LD50 > 5000 mg/kg body weight

Species: Rat

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (01/08/2025) MECATECH DISTRIBUTION

TC2 ESSENCE - MT002

Dermal route : LD50 > 5000 mg/kg body weight

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Date: 01/08/2025 Page 8/12

Revision: N°2 (01/08/2025)

Inhalation route (Vapours): LC50 > 4.951 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

b) Skin corrosion/skin irritation:

No data available.

c) Serious damage to eyes/eye irritation:

No data available.

d) Respiratory or skin sensitisation:

No data available.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard:

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity:

Oral route: No data available.

Dermal route: No data available.

Inhalation route (Dusts/mist):

No data available.

b) Skin corrosion/skin irritation:

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

c) Serious damage to eyes/eye irritation :

Splashes in the eyes may cause irritation and reversible damage

d) Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard:

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

Version : N°1 (01/08/2025) MECATECH DISTRIBUTION

TC2 ESSENCE - MT002

Date: 01/08/2025 Page 9/12

Revision: N°2 (01/08/2025)

11.1.2.2 Other information

Symptoms related to the physical, chemical and toxicological characteristics

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

HYDROCARBURES, C10, AROMATIQUES, >1%NAPHTALÈNE (CAS: 64742-94-5)

Fish toxicity: EC10 mg/l

Crustacean toxicity: EC10 mg/l

Duration of exposure: 21 days

Algae toxicity: NOEC = 0.22 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

HYDROCARBURES, C10, AROMATIQUES, >1%NAPHTALÈNE (CAS: 64742-94-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

auickly

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Date: 01/08/2025 Page 10/12

Revision: N°2 (01/08/2025)

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2025 - IMDG 2024 [42-24] - ICAO/IATA 2025 [66]).

14.1. UN number or ID number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(hydrocarbures, c10, aromatiques, >1% naphtalène)

14.3. Transport hazard class(es)

- Classification:



9

14.4. Packing group

ш

14.5. Environmental hazards

- Environmentally hazardous material:



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601 650			

Not subject to this regulation if Q \leq 5 1 / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	9	-	III	5 L	F-A. S-F	274 335 375	E1	Category A	-
						969			

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158	E1
								A197 A215	
	9	-	III	Y964	30 kg G	-	-	A97 A158	E1
								A197 A215	

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No data available.

Date: 01/08/2025 Page 11/12

Revision: N°2 (01/08/2025)

Particular provisions:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture contains substances subject to authorization according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/en/authorisation-list

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol):

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period.

LQ: Limited Quantity
EQ: Excepted Quantity
EmS: Emergency Schedule
E: Packing Instruction

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier. STEL : Short-term exposure limit TWA : Moyenne pondérée dans le temps SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (01/08/2025) MECATECH DISTRIBUTION

TC2 ESSENCE - MT002

Date : 01/08/2025 Page 12/12 Revision : N°2 (01/08/2025)

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

GHS08: Health hazard

IATA: International Air Transport Association.
IMDG: International Maritime Dangerous Goods.
ICAO: International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.
POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

AK-ertek : Permissible average concentration

WGK: Wassergefahrdungsklasse (Water Hazard Class).